

Executive Committee Meeting August 11, 2020 @ 1:00 PM (CT) Join Microsoft Teams Meeting 561-570-4464; Conference ID: 448 133 837#

Agenda

CALL TO ORDERJanice SummerFLOORING ITN RESPONSE REVIEWRichard WilliamsHOLIDAY CLOSURE SCHEDULERichard WilliamsDIRECTOR'S COMMENTSRichard WilliamsCOMMITTEE MEMBER COMMENTSJanice SummerADJOURNMENTJanice Summer

Executive Committee Members

Arthur Obar Johnny Eubanks Debbie Kolmetz Mary McKenzie Janice Sumner Darrin Wall Andy Jackson

								,	Link Floors,	Link Floors,	Link Floors,
Vendor	Bracewell	Bracewell	Bracewell	Bracewell	Bracewell	Bracewell	Plus	inc.	Inc.	Inc.	Inc.
											Engineered
Manufacturer	Shaw	Shaw	Shaw	Shaw	Shaw	Shaw	Shaw	Shaw	Shaw	Shaw	Floors
							Simply by			Simply by	
	Intellect	Genius	Dynamo		Fractured	Crackled	Nature		Diffuse	Nature	Streaming
Style	54845	54844	54857		54872	54871	5T294	Think 5T186	59575	5T294	7237T
Size	24"x24"	24"x24"	24"x24"	24"x24"	24"x24"	24"x24"	24"x24"	24"x24"	24"x24"	24"x24"	24"x24"
Solution Dye	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Nylon	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
tufted weight											
in ounces	14	14	14	16	16	16	16	16	16	16	15
finish pile											
thickness	0.082	0.087	0.08	0.09	0.096	0.088	0.121	0.095	0.092	0.121	?
Density	6146	5793	6300	6400	6000	6545	4760	6063	6261	4760	7714
Stiches Per Inch								10	8.5	10	?
soil or stain											
protection	Yes	Yes	Yes	yes	yes	yes	yes	yes	yes	yes	yes
											yes? Not
ADA											specifically
compliance	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	listed
Green	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Removal of Old											
Flooring	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Furniture											
Moved	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Minority,											
female, or											
veteran	yes	yes	yes	yes	yes	yes	No	yes	yes	yes	yes
			14 days		14 days	, 14 days	21 Days	?	?	?	?
proposed cost	\$56,780.70	, \$56,780.70	\$56,780.70	\$59,336.85	\$59,336.85	\$59,336.85	\$46,750	\$68,700.00	\$60,690.00	\$47,226.00	\$44,897.00

Section I – Organization Information

Name of Company: BRACEWell INC Dba BraceWell's Flooring + Fencing
Contact Person: Mary Brace Well
Business Address: 20667 NE RAilRoad Ave.
City, State, Zip: Blountstown Florida 32424
Business Phone:650) 674-2000
Business E-Mail: ADMINO bracewell.cc
Business Website: bracewellsFL . com
Years in Business: <u>28 years</u>
Dunn & Bradstreet #: 18-603-8733
FL Division of Corporations Info: 166809

MARY Bracewell Signatory Name

<u>President Bracewell Onc</u> Title

Mary Gracewell Signature

<u>7-29-2020</u> Date

RECEIVED 7/30/20 D. Monis

Section II – Cost for Service

. . . .

- 1. Name the product(s) being proposed for installation. (Materials can be attached that describe the product, but the Respondent is highly encouraged to highlight or respond on an attached sheet the answer to each area.)
 - a. Include the size of the tile proposed in square inches.
 - b. Confirm the carpet tile has a solution dye and nylon composition.
 - c. Provide the tufted weight and the finished pile thickness.
 - d. Confirm inclusion of soil or stain protection.
 - e. Confirm compliance with the Americans with Disabilities Act for a minimum static coefficient of friction for accessible routes.
 - f. Confirm green or environmentally friendly certification from a recognized organization.
 - g. Confirm old floorings and materials removed to allow installation will be disposed of in a manner allowed by required local, state and federal rules and regulations.
 - h. Confirm removal of old flooring and materials is included in the proposed cost.
- 2. Is moving of furniture, cubicles, and other obstacles included in final cost? If not, describe the solution for moving such items.
- 3. If claiming status as a minority, female, or veteran owned business provide proof.
- 4. List necessary timelines from start to final product installation.
- 5. List the proposed cost of final installation and any options being offered as part of the initial response. CSC may accept an initial response or may seek additional concessions or other deliverables as part of negotiations.

See AttAched Sheet



Section II-RFP Flooring

7/30/2020

Bracewell Inc's Proposal #1:

Product

24" x 24" Shaw Carpet tile- Style Intellect, Genius, or Dynamo (spec sheet enclosed also) Specifications:

Color to be determined

Solution dyed nylon

Tufted weight 14 oz and finished pile thickness .082

SSP Shaw Soil Protection

ADA Compliant/ASTM C1028 -meets guidelines for minimum static coefficient

of friction of 0.6 for accessible routes

Green Label Plus Certification Number GLP2671

Installation

Bracewell Inc will remove and dispose of existing flooring according to local, state, and federal rules and regulations, move furniture for installation, put back furniture after installation, do ordinary floor prep(floor patch and leveler), install carpet tile with MFG recommended glue, and install primed white shoe molding as need (Bracewell Inc not responsible to paint or caulk shoe molding)

Bracewell Inc will not be responsible for unhooking or setting back up any electronic devices such as computers, printers, etc.

The installation process should take approximately 14 days from start to finish.

Total Cost for Materials and Installation \$ 56780.7Proposa # 1 As specified

Bracewell Inc's Proposal #2:(upgrade option)

24" x 24" Shaw Carpet tile- Style Chisled, Fractured, Crackled (spec sheet enclosed also) Specifications:

Color to be determined

Solution dyed nylon

Tufted weight 16 oz and finished pile thickness .088

SSP Shaw Soil Protection

ADA Compliant/ASTM C1028 -meets guidelines for minimum static coefficient

of friction of 0.6 for accessible routes

Green Label Plus Certification Number GLP2671

Total Cost for Materials and Installation \$59336.85 Proposal # 2 Upgrade

The installation crew are professionals that have installed for many years. Bracewell Inc has been in business since 1992(28 years) WE are a Florida Certified MINORITY VENDOR (certificate attached), fully insured, and looking forward to working with you on this project. (please see attached reference letters).

Thank you for the opportunity to quote on this project.

StyleMulti-Level Pattern LoopMulti-Level Pattern LoopMulti-Level Pattern LoopMulti-Level Pattern LoopConstructionSolution OP Nylon100% Solution OP Nylon100% Solution OP Nylon100% Solution OP NylonDye Method14 oz.14 oz.14 oz.14 oz.Tufted Weight / ASTM D584814 oz.14 oz.14 oz.Siltebes Per Inch / ASTM D57938.89.39.3Siltebes Per Inch / ASTM D5848240°0.80°240°Telal Thickness / ASTM D58482773242°24° x 24°Poduct Size24° x 24°24° x 24°24° x 24°Product Size3yntheticSyntheticSyntheticPrimary BackingStataworx** tilestrataworx** tileStrataworx** tileSecondary BackingStataworx**SileStrataworx**Product Size450450450Solition Class IClass IClass IClass IClass IClass IRadiant Panel / ASTM E662450450Site Control / AATCC 174Passes*Passes*Passes*Passes*Passes*Passes*Passes*Passes*20 pcs20 pcsADA Compliant / ASTM Clo28This product meets the guidelines as set forth in the Americans with Disabilities Acc for minimum static coefficient of friction of 0.6 for accessible routesPasses20 pcs20 pcs20 pcsAstimicrobial / AATCC 1748.88 sq. yd. (80 sq. ft.)8.88 sq. yd. (80 sq. ftMathiner JaberBrickShaw 500	i.	J	+	↓
StyleGenius 54844Multi-Level Pattern Loop Houss Solution Q* Nylon Solution Q* Nylon Solution DyedMulti-Level Pattern Loop Houss Solution Q* Nylon Solution DyedMulti-Level Pattern Loop Houss Solution Q* Nylon Solution DyedMulti-Level Pattern Loop Houss Solution Q* Nylon Solution DyedSolution DyedFiberSolution Dyed14 oz.14 oz.14 oz.14 oz.Gauge / ASTM DS9381/039.39.3Stitches Per Inch / ASTM DS94814 oz.14 oz.14 oz.Arrage Density / ASTM DS9482.4° z.4°2.40°2.40°Yarenge Density / ASTM D594857732.43°2.4° z.4°Primary BackingSyntheticSyntheticSyntheticPrimary BackingSyntheticStrataworx ^{III} tileStrataworx ^{III} tileStatic Cortrol / AATCC T14Class IClass IClass IRedint Panel / ASTM E648Class IClass I450Static Cortrol / AATCC T14Passes*Passes*Passes*Passes*Passes*Passes*Passes*20 pcsStatic Cortrol / AATCC T242.0 pcs20 pcs20 pcsArdinerbail / ASTM Cto28This product meets the guidelines as set forth in the Americans with Disabilities Ac for minimum static coefficient of friction of 0.6 for accessible routesPackagingImage A grid field f	Product Specifications	V	L-tolloct 5/8/5	Dynamo 54857
$\begin{array}{c c c c c c c c c c c c c c c c c c c $		Genius 54844	Multi-Lovel Dattern Loop	Multi-Level Pattern Loop
$\begin{array}{c c c c c c c c c c c c c c c c c c c $		Multi-Level Pattern Loop	Multi-Level Pattern Dely	100% Solution Q® Nylon
NoteSolution Dyea14 oz.14 d z.Tufted Weight / ASTM D584814 oz.1/101/10Gauge / ASTM D57931/109.39.3Shitches Per Inch / ASTM D5793-958.8.082".080"Finished Pile Thickness / ASTM D5848.249".249".249"Average Density / ASTM D5848.249".249".249"Average Density / ASTM D5848.249".249".249"Printer Backing.249".244" × 24".24" × 24"Printery Backing	Construction	100% Solution Q® Nylon		Solution Dyed
Dye Method Dre Method14 02.1/101/10Gauge / ASTM D579314 02.1/109.3Stitches Per Inch / ASTM D5793 958.80.82"0.80"Stitches Per Inch / ASTM D5793 958.80.82"0.40"Stitches Per Inch / ASTM D58402.49"0.40"0.40"Total Thickness / ASTM D58402.49"0.40"0.40"Product Size2.47"2.44"2.44" x 2.4"Primary Backingstrataworx!"" tilestrataworx!"" tileSecondary Backingstrataworx!"" tilestrataworx!"" tileProtective TreatmentsSSP® Shaw Soil ProtectionSSP® Shaw Soil ProtectionProtective TreatmentsSSP® Shaw Soil ProtectionSSP® Shaw Soil ProtectionSitatic Control / AATCC 174Passes"Passes"Passes"Passes"Passes"Passes"When installed using Shaw 5036 adhesive.20 pcs20 pcs20 pcsAddisp per Carton8.88 sq. yd. (80 sq. ft.)8.88 sq. yd. (80 sq. ft.)8.88 sq. yd. (80 sq. ft.)astallation MethodsProtectShaw 5000Shaw 5000Image Shaw 5000Shaw 5000Shaw 5000Shaw 5000Shaw 5000Shaw 5000Shaw 5036 Antimicrobial (AATCC-174)Shaw 5000Shaw 5000 <t< td=""><td></td><td>Solution Dyed</td><td></td><td></td></t<>		Solution Dyed		
Tarted Weight / ASTM D50001/109/39.3Gauge / ASTM D57038.8.082".080"Sitches Per Inch / ASTM D5703-958.8.082".080"Finished Pile Thickness / ASTM D5804.240".240".240"Average Denily / ASTM D580424" x 24"24" x 24"24" x 24"Product SizeSyntheticSyntheticSyntheticSyntheticPrimary Backingstrataworx ^{III} tilestrataworx ^{III} tilestrataworx ^{III} tileScondary Backingstrataworx ^{III} tileSSD* Shaw Soil ProtectionSSD* Shaw Soil ProtectionProtective TreatmentsSSD* Shaw Soil ProtectionSSD* Shaw Soil ProtectionSSD* Shaw Soil ProtectionTestingFatige Shaw Soid Adhesive.Class IClass IClass IRadiant Danell / ASTM E648Class IClass I< 450	Dye Method	14 oz.		
Gauge / ASTM D5/39 B.8 .082" .080" Stitches per Inciknes: / ASTM D7241 .087" .249" .249" Total Thicknes: / ASTM D5040 .249" .6300 .249" Average Density / ASTM D5040 244" x 24" .24" x 24" .24" x 24" Product Size Synthetic Synthetic Synthetic Primary Backing strataworx™ tile strataworx™ tile strataworx™ tile Secondary Backing strataworx™ tile SSD* Shaw Soil Protection SSD* Shaw Soil Protection Testing SSD* Shaw Soil Protection SSD* Shaw Soil Protection SSD* Shaw Soil Protection Radiant Panel / ASTM E648 Class I Class I Class I Site Control / AATCC 134 .450 .450 .450 Asimicrobial / AATCC 134 Passes* Passes* Passes* When installed using Shaw 5036 adhesive. DA Compliant / ASTM Cto28 This product meets the guidelines as set forth in the Americans with Disabilities Action minimum static coefficient of friction of 0.6 for accessible routes stallation Methods 20 pcs 20 pcs 20 pcs Monolithic 1/4 Turn Ashar Brick Shaw 5000 Shaw 5000 (tollos/95% RH/7-10 pH) Shaw 5030 (tollos/95% RH/7-10 pH) wironmental Certification Shaw 5000 (tollo	fufted Weight / ASTM D5640			
Finished Pile Thickness / ASTM D240 .249° .249° .249° Total Thickness / ASTM D2640 .249° .6300 Average Density / ASTM D2648 .24° .24° .24° Product Size Synthetic Synthetic Synthetic Synthetic Primary Backing strataworx™ tile strataworx™ tile strataworx™ tile strataworx™ tile Secondary Backing SSD® Shaw Soil Protection SSD® Shaw Soil Protection SSD® Shaw Soil Protection SSD® Shaw Soil Protection Protective Treatments SSD® Shaw Soil Protection SSD® Shaw Soil Protection SSD® Shaw Soil Protection Radiant Panel / ASTM E648 Class I Class I Class I Class I Class I Class I Class I Class I Class I Addiant Panel / ASTM E648 Class I Class I Class I Class I Sitatic Control / AATCC 174 Passes* Passes* Passes* Passes* Passes* VMen installed using Shaw S036 adhesive. This product meets the guidelines as set forth in the Americans with Disabilities Ac for minimum static coefficient of friction of 0.6 for accessible routes ackaging iiles per Carton 8.88 sq. yd. (8	Gauge / ASTM D5793	8.8		
Finished Dile Thickness / ASTM D860 249° 240° 6146 63300 Tatal Thickness / ASTM D8640 24° x 24° 24° x 24° 24° x 24° 24° x 24° Product Size Synthetic Synthetic Synthetic Synthetic strataworx™ tile strataworx™ tile strataworx™ tile strataworx™ tile SSP* Shaw Soil Protection Static Contol / AATCC 134 A35 kv <3.5 kv	ititches Per Inch / ASTM D5/95-95			• •
Total Thickness? / ASTM D5848 5793 6146 24" x 24" Average Density / ASTM D5848 24" x 24" 24" x 24" Synthetic Synthetic Synthetic Synthetic Synthetic Primary Backing Synthetic Synthetic Synthetic Secondary Backing SSD® Shaw Soil Protection SSD® Shaw Soil Protection SSD® Shaw Soil Protection Protective Treatments SSD® Shaw Soil Protection SSD® Shaw Soil Protection SSD® Shaw Soil Protection Radiant Panel / ASTM E662 < 450	inished Pile Thickness / ASTH D/24			
Average Density / ASTM Delayer 24" x 24" 24" x 24" Synthetic Product Size Synthetic Synthetic Synthetic Synthetic Primary Backing strataworx [™] tile strataworx [™] tile strataworx [™] tile SSD® Shaw Soil Protection SSD® Shaw Soil Protection Protective Treatments SSD® Shaw Soil Protection SSD® Shaw Soil Protection SSD® Shaw Soil Protection Radiant Panel / ASTM E648 Class I Class I Class I Gaine Density / ASTM E642 < 450	otal Thickness / ASTM D8880		14 Torrest and	
Product Size Synthetic Synthetic Synthetic Synthetic Primary Backing strataworx™ tile strataworx™ tile strataworx™ tile SSP* Shaw Soil Protection SSP* Shaw Soil Protection SSP* Shaw Soil Protection SSP* Shaw Soil Protection SSP* Shaw Soil Protection Radiant Panel / ASTM E648 Class I Class I Class I Cassing < 450			24" x 24"	
Primary Backing strataworx™ tile strataworx™ tile strataworx™ tile Secondary Backing SSP® Shaw Soil Protection SSP® Shaw Soil Protection SSP® Shaw Soil Protection Testing Image: SSP® Shaw Soil Protection SSP® Shaw Soil Protection SSP® Shaw Soil Protection Radiant Panel / ASTM E662 * 450 * 450 * 450 Smoke Density / ASTM E662 * 450 * 450 * 450 Static Control / AATCC 134 * 3.5 kv * 3.5 kv * 3.5 kv Viten installed using Shaw 5036 adhesive. Passes* Passes* Passes* NDA Compliant / ASTM Cto28 This product meets the guidelines as set forth in the Americans with Disabilities Actor for minimum static coefficient of friction of 0.6 for accessible routes Packaging Image: Second s				
Secondary Backing Protective Treatments SSP® Shaw Soil Protection SSP® Shaw Soil Protection SSP® Shaw Soil Protection SSP® Shaw Soil Protection Testing Radiant Panel / ASTM E648 Class I Class I Class I Radiant Panel / ASTM E648 Class I Class I Class I Since Density / ASTM E642 < 450		stastaworx [™] tile	strataworx [™] tile	
Protective Treatments SSP Shaw but Protection Testing Radiant Panel / ASTM E648 Class I Class I Radiant Panel / ASTM E648 Class I 450 450 Smoke Density / ASTM E662 450 450 450 Smoke Density / ASTM E662 450 450 450 Static Control / AATCC 134 435 kv 435 kv 435 kv Value indicational / AATCC 174 Passes* Passes* Passes* When installed using Shaw 5036 adhesive. Passes* Passes* Passes* NDA Compliant / ASTM C1028 This product meets the guidelines as set forth in the Americans with Disabilities Actor for minimum static coefficient of friction of 0.6 for accessible routes Packaging	econdary Backing		SSP® Shaw Soil Protection	SSP [®] Shaw Soil Protection
Radiant Panel / ASTM E648Class IClass IClass IClass IRadiant Panel / ASTM E668< 450	rotective Treatments	22ha Suam 2011 FLORECTON		
Radiant Panel / ASTM E648 Class I Class I 450 450 450 Smoke Density / ASTM E662 < 450	esting			
Radiant Panel / ASTM E648 Class 1 < 450		Class	Class I	Class I
Smoke Density / ASIM E662 435 435 435 435 Static Control / AATCC 134 43.5 kv 43.5 kv 43.5 kv 43.5 kv Static Control / AATCC 134 43.5 kv 43.5 kv 9asses* Passes* When installed using Shaw 5036 adhesive. ADA Compliant / ASTM Cto28 This product meets the guidelines as set forth in the Americans with Disabilities Actor for minimum static coefficient of friction of 0.6 for accessible routes Packaging				< 450
Static Control / AATCC 134 C.S.M. Passes* Passes* Passes* Passes* When installed using Shaw 5036 adhesive. This product meets the guidelines as set forth in the Americans with Disabilities Actor for minimum static coefficient of friction of 0.6 for accessible routes AATC 174 Passes* Image: Static Control / ASTM Clo28 This product meets the guidelines as set forth in the Americans with Disabilities Actor for minimum static coefficient of friction of 0.6 for accessible routes Image: Static Control / ASTM Clo28 This product meets the guidelines as set forth in the Americans with Disabilities Actor for minimum static coefficient of friction of 0.6 for accessible routes Image: Static Control / ASTM Clo28 This product meets the guidelines as set forth in the Americans with Disabilities Actor for minimum static coefficient of friction of 0.6 for accessible routes Image: Static Control / ASTM Clo28 20 pcs 20 pcs 20 pcs Image: Static Control / ASTM Clo28 20 pcs 20 pcs 8.88 sq. yd. (80 sq. ft.) Image: Static Control / ASTM Clo28 Shaw 5000 Shaw 5000 Shaw 5000 Image: Static Control / ATUR Shaw 5000 11 Gallon Pail Shaw 5000 (10lbs/95% RH/7-10 pH) Monolithic 1/4 Turn Ashlar Brick Shaw 5800 (10lbs/95% RH/7-10 pH) Image: Static Contification Static Control / GLP2671 <t< td=""><td></td><td></td><td></td><td>< 3.5 kv</td></t<>				< 3.5 kv
Antimicrobial / AATCC 174 Passes "When installed using Shaw 5036 adhesive. This product meets the guidelines as set forth in the Americans with Disabilities Actor for minimum static coefficient of friction of 0.6 for accessible routes ackaging 20 pcs 20 pcs 20 pcs ackaging 20 pcs 20 pcs 20 pcs ackaging 8.88 sq. yd. (80 sq. ft.) 8.88 sq. yd. (80 sq. ft.) 8.88 sq. yd. (80 sq. ft.) astallation Methods Recommended Adhesives Image: Application Methods Shaw 5000 Shaw 5000 Shaw 5000 Monolithic 1/4 Turn Ashlar Brick Shaw 5036 Antimicrobial (AATCC-174) Shaw 5800 (10lbs/95% RH/7-10 pH) Shaw 5800 (10lbs/95% RH/7-10 pH) wironmental Certification GLP2671 GLP2671 SF 140 Gold	atic Control / AATCC 134			Passes*
When installed using Shaw 5036 adhesive. This product meets the guidelines as set forth in the Americans with Disabilities Actor for minimum static coefficient of friction of 0.6 for accessible routes ADA Compliant / ASTM C1028 This product meets the guidelines as set forth in the Americans with Disabilities Actor for minimum static coefficient of friction of 0.6 for accessible routes Packaging 20 pcs 20 pcs 20 pcs illes per Carton 8.88 sq. yd. (80 sq. ft.) 8.88 sq. yd. (80 sq. ft.) 8.88 sq. yd. (80 sq. ft.) hstallation Methods Recommended Adhesives 	ntimicrobial / AATCC 174	Passes	Passes	
NDA Compliant / ASTM C1028 This product meets the guidelines as set forth in the Americano Weiner Strategy for minimum static coefficient of friction of 0.6 for accessible routes ackaging 20 pcs 20 pcs 20 pcs aids per Carton 8.88 sq. yd. (80 sq. ft.) 8.88 sq. yd. (80 sq. ft.) 8.88 sq. yd. (80 sq. ft.) astallation Methods Recommended Adhesives Image: Application of 1/4 Turn Ashlar Brick Shaw 5000 Monolithic 1/4 Turn Ashlar Brick Shaw 5036 Antimicrobial (AATCC-174) Nivronmental Certification Shaw 5800 (10lbs/95% RH/7-10 pH) Shaw 5800 (10lbs/95% RH/7-10 pH) Applied Plus Certification Number GLP2671 GLP2671 GLP2671	When installed using Shaw 5036 adhesi	ve.		and with Disabilities Act
iles per Carton 20 pcs 20 pcs 20 pcs ards per Carton 8.88 sq. yd. (80 sq. ft.) 8.88 sq. yd. (80 sq. ft.) 8.88 sq. yd. (80 sq. ft.) stallation Methods Recommended Adhesives	ckaging			
intersper Carton 8.88 sq. yd. (80 sq. ft.) 8.88 sq. yd. (80 sq. ft.) 8.88 sq. yd. (80 sq. ft.) installation Methods Recommended Adhesives Image: Addition Methods Shaw 5000 Shaw 5000 Shaw 5100 Shaw 5001 I Gallon Pail Shaw 5003 Antimicrobial (AATCC-174) Monolithic 1/4 Turn Ashlar Brick Shaw 5800 (10lbs/95% RH/7-10 pH) Invironmental Certification GLP2671 SF 140 Gold GLP2671	Caritan	20 pc5	20 pcs	20 pcs
Arras per Carton Recommended Adhesives Installation Methods Shaw 5000 Image: Array ber Carton Shaw 5000 Shaw 5000 Shaw 5100 Shaw 5001 I Gallon Pail Shaw 5001 I Gallon Pail Monolithic 1/4 Turn Ashlar Brick Shaw 5000 (10lbs/95% RH/7-10 pH) Invironmental Certification GLP2671 SF 140 Gold GLP2671			8.88 sq. yd. (80 sq. ft.)	8.88 sq. yd. (80 sq. ft.)
Image: Stallation Methods Shaw 5000 Image: Stallation Methods Shaw 5800	rds per Carton	0.00 34. 90. (00 04. 11)	and second and the particular transferred at the cost	
Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Shaw 5100 Monolithic 1/4 Turn Ashlar Brick Shaw 5001 1 Gallon Pail Monolithic 1/4 Turn Ashlar Brick Shaw 5036 Antimicrobial (AATCC-174) Shaw 5800 (10lbs/95% RH/7-10 pH) Shaw 5800 (10lbs/95% RH/7-10 pH) Image: Constraint of the system GLP2671 GLP2671 SF 140 Gold GLP2671 GLP2671	tallation Methods		Recommended Adhesives	
Image: Constraint of the second se			Shaw 5000	
Image: Constraint of the second se	$\uparrow \uparrow$ $\uparrow \rightarrow$ $\uparrow \uparrow$	^	Shaw 5100	
Monolithic 1/4 Turn Ashlar Brick Shaw 5036 Antimicrobial (AATCC-174) Shaw 5800 (10lbs/95% RH/7-10 pH) Avironmental Certification Teen Label Plus Certification Number GLP2671 GLP2671 GLP2671 SF 140 Gold				
Monolithic 1/4 Turn Ashlar Brick Shaw 5800 (10lbs/95% RH/7-10 pH) ivironmental Certification reen Label Plus Certification Number GLP2671 GLP2671 GLP2671 SF 140 Gold				AATCC 174)
reen Label Plus Certification Number GLP2671 GLP2671 GLP2671 GLP2671	10nolithic 1/4 Turn Ashlar	Brick		
reen Label Plus Certification Number GLP2671 GLP2671 GLP2671 GLP2671			Shaw 5800 (10lbs/95% RH	//7-10 рН)
reen Label Plus Certification Number GLP2671 GLP2671 GLP2671 GLP2671 SF 140 Gold radle to Cradle Silver Certified	rironmental Certification			
SF 140 Gold	en Label Plus Certification Number	GLP2671	GLP2671	GLP2671
				 Settement in considerant Profile
radie to Cradie Silver Certified				
	idle to Cradle Silver Certified			
	cradeforade	х 0		

Product Specifications	\checkmark	V	V
	Chiseled 54870	Crackled 54871	Fractured 54872
Style	Multi-Level Pattern Loop	Multi-Level Pattern Loop	Multi-Level Pattern Loop
Construction Fiber	100% Solution Q® Nylon	100% Solution Q® Nylon	100% Solution Q [®] Nylon
Fiber Dye Method	Solution Dyed	Solution Dyed	Solution Dyed
Tufted Weight	16 oz.	16 oz.	16 oz.
Gauge	1/10	1/10	1/10
Stitches Per Inch	9.7	9.8	9.8
Finished Pile Thickness	.090"	.088"	.096*
Total Thickness	.236"	.230*	.239
Average Density	6400	6545	6000
Product Size	24" x 24"	24" × 24"	24" × 24"
Primary Backing	Synthetic	Synthetic	Synthetic
Secondary Backing	strataworx [™] tile	strataworx [™] tile	strataworx™ tile
Protective Treatments	SSP Shaw Soil Protection	SSP Shaw Soil Protection	SSP Shaw Soil Protection
Testing			
Radiant Panel	Class I (ASTM E-648)	Class I (ASTM E-648)	Class I (ASTM E-648)
Smoke Density	< 450 (ASTM E-662)	< 450 (ASTM E-662)	< 450 (ASTM E-662)
Static Control	< 3.5 kv (AATCC-134)	< 3.5 kv (AATCC-134)	< 3.5 kv (AATCC-134)
Antimicrobial	Passes (AATCC-174)*	Passes (AATCC-174)*	Passes (AATCC-174)*
*When installed using Shaw 5036 a			
ADA Compliant		nes as set forth in the Americans v	with Disabilities Act
		of friction of 0.6 for accessible rou	
Packaging			
	***************************************	-	
ent		20 pcs	20 pcs
Files per Carton	20 pcs	20 000	20 pcs
liles per Carton Yards per Carton	20 pcs 8.88 sq. yd. (80 sq. ft.)	8.88 sq. yd. (80 sq. ft.)	8.88 sq. yd. (80 sq. ft.)
		AL 2.5	
fards per Carton		8.88 sq. yd. (80 sq. ft.) Recommended Adhesives	
/ards per Carton	8.88 sq. yd. (80 sq. ft.)	8.88 sq. yd. (80 sq. ft.) Recommended Adhesives Shaw 5000	
/ards per Carton	8.88 sq. yd. (80 sq. ft.)	8.88 sq. yd. (80 sq. ft.) Recommended Adhesives Shaw 5000 Shaw 5100	
Yards per Carton nstallation Methods ↑↑↑ ↑↑ ↑↑↑	8.88 sq. yd. (80 sq. ft.)	8.88 sq. yd. (80 sq. ft.) Recommended Adhesives Shaw 5000 Shaw 5100 Shaw 5001 1 Gallon Pail	8.88 sq. yd. (80 sq. ft.)
fards per Carton	8.88 sq. yd. (80 sq. ft.)	8.88 sq. yd. (80 sq. ft.) Recommended Adhesives Shaw 5000 Shaw 5100 Shaw 5001 1 Gallon Pail Shaw 5036 Antimicrobial (Ad	8.88 sq. yd. (80 sq. ft.)
Yards per Carton Installation Methods ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑	8.88 sq. yd. (80 sq. ft.)	8.88 sq. yd. (80 sq. ft.) Recommended Adhesives Shaw 5000 Shaw 5100 Shaw 5001 1 Gallon Pail	8.88 sq. yd. (80 sq. ft.)
Yards per Carton Installation Methods ↑↑↑ ↑ ↑↑↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑	8.88 sq. yd. (80 sq. ft.)	8.88 sq. yd. (80 sq. ft.) Recommended Adhesives Shaw 5000 Shaw 5100 Shaw 5001 1 Gallon Pail Shaw 5036 Antimicrobial (A/ Shaw 5800 (10 lbs/95% RH/7	8.88 sq. yd. (80 sq. ft.) ATCC-174) 7-10 pH)
Yards per Carton Installation Methods ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑	8.88 sq. yd. (80 sq. ft.)	8.88 sq. yd. (80 sq. ft.) Recommended Adhesives Shaw 5000 Shaw 5100 Shaw 5001 1 Gallon Pail Shaw 5036 Antimicrobial (Ad	8.88 sq. yd. (80 sq. ft.)
Yards per Carton Installation Methods ↑↑↑ ↑ ↑↑↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑	8.88 sq. yd. (80 sq. ft.)	8.88 sq. yd. (80 sq. ft.) Recommended Adhesives Shaw 5000 Shaw 5100 Shaw 5001 1 Gallon Pail Shaw 5036 Antimicrobial (A/ Shaw 5800 (10 lbs/95% RH/7	8.88 sq. yd. (80 sq. ft.) ATCC-174) 7-10 pH)
Yards per Carton Installation Methods ↑↑↑ ↑ ↑↑↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑	8.88 sq. yd. (80 sq. ft.)	8.88 sq. yd. (80 sq. ft.) Recommended Adhesives Shaw 5000 Shaw 5100 Shaw 5001 1 Gallon Pail Shaw 5036 Antimicrobial (A/ Shaw 5800 (10 lbs/95% RH/7	8.88 sq. yd. (80 sq. ft.) ATCC-174) 7-10 pH)
Yards per Carton Installation Methods ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑	8.88 sq. yd. (80 sq. ft.)	8.88 sq. yd. (80 sq. ft.) Recommended Adhesives Shaw 5000 Shaw 5100 Shaw 5001 1 Gallon Pail Shaw 5036 Antimicrobial (A/ Shaw 5800 (10 lbs/95% RH/7	8.88 sq. yd. (80 sq. ft.) ATCC-174) 7-10 pH)
Yards per Carton Installation Methods ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑	8.88 sq. yd. (80 sq. ft.)	8.88 sq. yd. (80 sq. ft.) Recommended Adhesives Shaw 5000 Shaw 5100 Shaw 5001 1 Gallon Pail Shaw 5036 Antimicrobial (A/ Shaw 5800 (10 lbs/95% RH/7 GLP2671	8.88 sq. yd. (80 sq. ft.) ATCC-174) 7-10 pH) GLP2671
Yards per Carton Installation Methods ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑	8.88 sq. yd. (80 sq. ft.)	8.88 sq. yd. (80 sq. ft.) Recommended Adhesives Shaw 5000 Shaw 5100 Shaw 5001 1 Gallon Pail Shaw 5036 Antimicrobial (A/ Shaw 5800 (10 lbs/95% RH/7 GLP2671	8.88 sq. yd. (80 sq. ft.) ATCC-174) 7-10 pH)
Yards per Carton Installation Methods ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑ ↑↑↑	8.88 sq. yd. (80 sq. ft.)	8.88 sq. yd. (80 sq. ft.) Recommended Adhesives Shaw 5000 Shaw 5100 Shaw 5001 1 Gallon Pail Shaw 5036 Antimicrobial (A/ Shaw 5800 (10 lbs/95% RH/7 GLP2671	8.88 sq. yd. (80 sq. ft.) ATCC-174) 7-10 pH) GLP2671

valk of mats are recommended at building entrances. Chair pads are recommended. Product specifications are based on averages resulting from normal manufacturing processes and may vary within normal industry tolerances. Product performance is not affected by such variances. This carpet is produced solely for the use as a floor covering and is not affected by such variances. This carpet is produced solely for the use as



Rivertown Community Church 4534 Lafayette Street Marianna FL, 32446 850.482.2477

rivertown.cc

July 29, 2020

Business Reference RE: Bracewell's Flooring & Fencing

Rivertown Community Church has been doing business with Bracewell's Flooring & Fencing for many years. We have used them for installation and repairs of carpet, tile, vinyl, fencing and other products across our three campuses in Blountstown, Marianna and Chipley. Their customer service and quality of work are both excellent and they stand behind their products. The team at Bracewell's have been in the business for many years and know their stuff.

I would highly recommend them for any flooring or fencing installation. Not only are they a pleasure to work with, I know the product and service we get will be of great quality and I can trust the integrity of this company. They go the second mile to ensure customer satisfaction.

If you have any questions, please don't hesitate to contact me.

Sincerely,

Paul Smith Senior Pastor

One Church... Multiple Locations



Carla A. Hand, CPA, CGFO Clerk of Circuit Court and County Comptroller

Clerk of Courts • Clerk to County Commission • Auditor • Treasurer • Recorder • Custodian of County Funds

July 29, 2020

Richard Williams Executive Director CareerSource Chipola 4636 Highway 90 East, Suite E Marianna, FL 32446

Mr. Williams

This letter is in regards to Bracewell, Inc. 20667 NE Railroad Ave Suite #3, Blountstown, FI 32424 and the long relationship Calhoun County has doing business with Bracewell, Inc. Bracewell's has 152 invoices with Calhoun County BOCC totaling \$720,352.19 from 1995 to the present. This is a good indication Bracewell's is a valued vendor with a proven track record. They provided services of \$450,862.02 in the current fiscal year helping the County recover after Hurricane Michael.

These amounts do not include separate transactions between the Constitutional Officers and Bracewell, Inc. They provided services to the Clerk's Office in the amount of \$8,684.40 for the installation of carpet in FY 2013-2014. I am very satisfied with the work performed and the product used.

I personally know Mary Bracewell and consider her to be an honest trustworthy friend always doing exactly what she says she will do. There are very few people you can trust to give you their word with a handshake, from my past experience Mary is one of those people.

Regards

Carla A. Hand

Darryl Taylor, Jr.

Superintendent of Schools

20859 Central Ave. East, RM-G20• Blountstown, FL 32424•Phone: 850-674-5927•Fax: 850-674-5814

July 28, 2020

I would like to recommend Bracewells Fencing and Flooring for any flooring or fencing needs anyone may have. They have worked for our district since 2003 and have always done quality work in a timely matter. I have asked them to work weekends and holidays to complete jobs that had to be done quickly and they were always accommodating to our needs. In addition, as far as pricing, they are always the low bid when we have to advertise for any projects. Feel free to call me with any questions.

Sincerely.

Director of Facilities and Transportation

Danny RyalsRay HowellClifford NewsomeKenneth SpeightsDanny HassigDistrict 1District 2District 3District 4District 5

State of Horida


Woman Business Certification

bracewell, inc

Is certified under the provisions of 287 and 295.187, Florida Statutes, for a period from:

02/24/2019 to 02/24/2021

Jonathan R. Satter, Secretary
 Florida Department of Management Services



Office of Supplier Diversity + 4050 Esplanade Way, Suite 380 + Tallahassee, FL 32399 + 850-487-0915 + www.dms.myflorida.com/osd

CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMERAD, EXTEND OR ALTIER THE COVERAGE AFFORDED BY THE POLUCIES BELOW. THE CONDUCT AND DES NOT CONSTITUE & CONTRACT BERVIEWEN THE ESUING INSURATED. SUITIONATED PREPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE INCLUENT. INCLUES PRODUCER Acentral Insurance - Biountistown TrOSS Min Site of Min Business Content rights to the certificate holder in lieu of such endorsement(s). Provide an experiment of the Certificate holder in lieu of such endorsement(s). Provide an experiment of the Certificate holder in lieu of such endorsement(s). Provide an experiment of the Certificate holder in lieu of such endorsement(s). Provide and the Certificate holder in lieu of such endorsement(s). Provide and the Certificate holder in lieu of such endorsement(s). Provide and the Certificate holder in lieu of such endorsement(s). Provide and the Certificate holder in lieu of such endorsement(s). Provide and the Certificate holder in lieu of such endorsement(s). Provide and the Certificate holder in lieu of such endorsement(s). Provide and the Certificate holder in lieu of such endorsement(s). Provide and the Certificate holder in lieu of such endorsement(s). Provide and the Certificate holder in lieu of such endorsement(s). Provide and the Certificate holder in lieu of such endorsement(s). Provide and the Certificate holder in lieu of such endorsement(s). Provide and the Certificate holder in lieu of such endorsement(s). Provide and the Certificate holder in lieu of such endorsement(s). Provide and the Certificate holder in lieu of such endorsement(s). Provide and the Certificate holder in lieu of such endorsement(s). Provide and the Certificate holder in lieu of such endorsement(s). Provide and the Certific	ACORD [®] CERTIFICATE OF LIA	BILITY INS	URANC	E	1		
If SUBGQATION IS WARDD, subject to the terms and conditions of the policy, certal policis may roquire an endorsement. A statement on this certificate index in its or endorsement(s). A statement on this certificate index in its or endorsement(s). PRODUCES A statement on this certificate index in its or endorsement(s). Its or endorsement(s). PRODUCES Biochistown FL 32424 Its or endorsement(s). NUMBE Bracewell, Inc. Its or endorsement or endorsement or endorsement or endorsement or endorsement. Its or endorsement or endorsement or endorsement or endorsement. NUMBE Bracewell, Inc. Its or endorsement or endorsement. Its or endorsement or endorsement. Notation Concernation Concernation Its or endorsement or endorsement or endorsement or endorsement or endorsement or endorsement. Notation Concernation Concernation Concernation Its or endorsement	CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED						
Acentric Insurance - Boundstown T3555 Mail Street N. Biountstown FL 32424 License BL 100400 Beauting License BL 10040 Beauting License Black Beauting	If SUBROGATION IS WAIVED, subject to the terms and conditions of	the policy, certain such endorsement	policies may	NAL INSURED provision require an endorseme	onsorbe ∋nt.Ast	e endorsed. tatement on	
17555 Main Street N. I_BALLER 00:0000-0100 Biountstown FL 32424 Addresses. Blanca Palmet@Azentila.com Macr. Meauero BIOURSTOWN FL 32424 Macr. Macr. Biountstown FL 32424 BIOURSTOWN FL 32424 Macr. Macr. BIOURSTOWN FL 32424 BIOURSTOWN FL 32424 Macr. Macr. BIOURSTOWN FL 32424 BIOURSTOWN FL 32424 Macr. Macr. BIOURSTOWN FL 32424 BIOURSTOWN FL 32424 Macr. 42376 Insueres : Insueres : Insueres : Insueres : Insueres :			almer				
Biourtistown FL 32424 License: License		(A/C, No. Ext); 800-0	(A/C, No, Ext): 850-526-2544 (A/C, No): 850-633-1008				
	Blountstown FL 32424	ADDRESS: Blanca.Palmer@Acentria.com				r	
Description Description Description 42376 20667 NE Frainced Ave Suite 3 Biountstown FL 32424 Issuence :							
Bracewell, Inc. Bracewell, In		o					
20067, NE FRIINDULAYE SUILE S Biounistawn FL 32424 Insurer E Insurer E COVERAGES CERTIFICATE NUMBER: 151066562 REVISION NUMBER: This Is TO CERTIFY THAT THE POLICY DINSURANCE LISTE BELOW HAVE BEEN ISSUED TO THE INSURED AMANE BADVE FOR THE POLICY PERIOD NO.CARNET WITH RESPECT TO WHICH THIS SECURITY OF THE POLICY PERIOD NO.CARNET WITH RESPECT TO WHICH THIS SECURITY OF THE POLICY PERIOD NO.CARNET WITH RESPECT TO WHICH THIS SECURITY OF THE POLICY PERIOD NO.CARNET WITH RESPECT TO WHICH THIS SECURITY OF THE POLICY PERIOD NO.CARNET WITH RESPECT TO WHICH THIS SECURITY PERIOD CANNET. VIEW TYPE OF INSURANCE LISTES MORE CONTINUE BEEN REPUCED BY PAUD CANNET. SUBJECT TO ALL THE TENNET. VIEW TYPE OF INSURANCE LISTES MORE CONTINUE BEEN REPUCED BY PAUD CANNET. SUBJECT TO ALL THE POLICY PERIOD CONTINUES. VIEW TYPE OF INSURANCE LISTES MORE CONTINUE BEEN REPUCED BY PAUD CANNET. SUBJECT TO ALL THE POLICY PERIOD CONTINUES. VIEW TYPE OF INSURANCE LISTES MORE CONTINUES. SUBJECT TO ALL THE POLICY PERIOD CONTINUES. SUBJECT TO ALL THE POLICY PERIOD CONTINUES. VIEW TYPE OF INSURANCE LISTES MORE CONTINUES. SUBJECT TO ALL THE POLICY PERIOD CONTINUES. SUBJECT TO ALL THE POLICY PERIOD CONTINUES. VIEW CANNET LISTES PER- COMMENDING AND RESOLUTION OF ALL THE POLICY PERIOD CONTINUES. SUBJECT TO ALL THE POLICY PERIOD CONTINUES. SUBJECT TO ALL THE POLICY PERIOD CONTINUES.	Bracewell, Inc.		Jogy mourand	e company, inc.		42010	
BUSINESS LI BUSINESS LI BUSINESS CERTIFICATE NUMBER: 151695642 CERTIFICATE NUMBER: 151695642 THAT THE POLICIS OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURCOLLINENT IN RECEIVED TO THE POLICY PERIOD DOLOTED. NOWTHINSTANDOR ANY REQUEREMENT, TERM OR OXONTONIC ON CONTRACTO DO DIREEDCOLMENT IN RECEIVED TO THE POLICY PERIOD SUBJECT TO ALL THE TENSS. EXCUSIONS AND CONDITIONS OF SUCH POLICIES, LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAD CLANKS. EXCUSIONS AND CONDITIONS OF SUCH POLICIES, LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAD CLANKS. EXCUSIONS AND CONDITIONS OF SUCH POLICIES, LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAD CLANKS. EXCUSIONS AND CONDITIONS OF SUCH POLICIES, LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAD CLANKS. EXCUSIONS AND CONDITIONS OF SUCH POLICIES, LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAD CLANKS. EXCUSIONS AND CONDITIONS OF SUCH POLICIES, LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAD CLANKS. EXCUSIONS AND CONDITIONS OF SUCH POLICIES, LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAD CLANKS. EXCUSIONS AND CONDITIONS OF SUCH POLICIES, LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAD CLANKS. EXCUSSION LABURATE LIMITY A X COMMENTATION BY THE TRANSPORT OF ALL PROVIDED BY PAD CLANKS. EXCUSSION LABURATE LIMITY A X COMMENTATION BY THE POLICY PERIOD. EXCUSSION LABURATE LIMIT THE POLICY PERIOD. EXCUSSION LABURATE LIMITY AUTOROBULE LIMIT APPLES PERCEMPTION BY ALLORED B							
COVERAGES CERTIFICATE NUMBER: 151595542 REVISION NUMBER: THIS IS TO ENTRY THAT THE POLICE SOFT POLICES IS INSURANCE LISTED BELIX HAVE BEEN ISSUED TO HE INSURE NORMED ADVE FOR THE POLICY PERIOD DECRIFICIATE MAY BE ISSUED OF MAY PERIATIN. THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS. EXCLUSIONS AND CONDITIONS OF SUCH POLICES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIRS. INTER TYPE OF INSURANCE AND DE MAY PERIATI. THE INSURANCE AFFORDED BY THE POLICY ENDING. ISSUED TO ALL THE TERMS. EXCLUSIONS AND CONDITIONS OF SUCH POLICES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIRS. Issue the policy of the INSURANCE AFFORDED BY THE POLICY INSURES. INTER TO CONTRACT PAID TO ALL THE TERMS. ISSUED TO ALL THE TERMS. Issue the policy of the INSURE NAME. INTER COMMERCIAL CONTRACT PAID TO ALL THE TERMS. ISSUE TO ALL THE TERMS. Issue the policy of the INSURE NAME. INTER COMMERCIAL ADVINT PAID TO ALL THE TERMS. ISSUE TO ALL THE TERMS. Issue to ALL THE TERMS. INTER COMMERCIAL ADVINT PAID TO ALL THE TERMS. ISSUE TO ALL THE TERMS. Issue to ALL THE TERMS. INTER COMMERCIAL ADVINT PAID TO ALL THE TERMS. ISSUE TO ALL THE TERMS. ISSUE TO ALL THE TERMS. INTER COMMERCIAL ADVINT PAID TO ALL THE TERMS. ISSUE TO ALL THE TERMS. ISSUE TO ALL THE TERMS. INTER SO							
This Is TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY FERIOD INDICATED. NOTTHITSTANDING ANY REGURANCE LISTED BELOW HAVE BEEN ISSUED TO TO THE INSURANCE NOT RESPECTIVE WILL THE DEVICES DESCRIPTION THE POLICY FERIOD LINDICATED. NOTTHITSTANDING ANY REGURANCE HISTED BELOW HAVE BEEN ISSUED TO NUCLEY TO ALL THE TERMS. EXCLUSIONS OF SUCH POLICIES. LIMITS SHOW MAY HAVE BEEN REDUCED BY PAID CLAMS. INPE OF INSURANCE ADDIGUTY FROM THE POLICIES DESCRIPTION A ADDIGUTY FROM THE POLICIES. LIMITS SHOW MAY HAVE BEEN REDUCED BY PAID CLAMS. INPE OF INSURANCE ADDIGUTY FROM THE POLICY		INSURER F :					
INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OF MAY DERIVATION THE INSURANCE AFFORDED BORD DEFINED UNCERNES SUBJECT TO ALL THE TERMS. EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAD CLAWS. IMPL WORDERGAL GENERAL LABULTY A CONNERCAL GENERAL LABULTY C.LAME-MADE XOCOUNTRACT TRANSFE C.LAME-MADE Stode C.LAME-MADE ATONO C.LAME-MADE ACCOUNT ACCO							
A X COMMERCIAL GENERAL LUBULTY 78168587 29/2020 29/2021 E-QC3 COCUPRENCE \$1,000,000 B CLAMAS-MADE X OCCUPRENCE \$50,000 B B MORECRATE LIMIT APPLIES PER: X \$2,000,000 B B \$2,000,000 B B \$2,000,000 B B B \$2,000,000 B B \$2,000,000 B B B \$2,000,000 B B \$2,000,000 B B B \$2,000,000 B B B \$2,000,000 B B \$2,000,000 B B B \$2,000,000 B B \$2,000,000 B B \$2,000,000 B B B \$1,000,000 B B B B \$1,000,000 B B B B \$1,000,000 B	INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFOR	N OF ANY CONTRAC DED BY THE POLIC 'E BEEN REDUCED B'	T OR OTHER ES DESCRIBE Y PAID CLAIMS	DOCUMENT WITH RESP D HEREIN IS SUBJECT	PECT TO	WHICH THIS	
A X COMMERCIAL GENERAL LUMBILITY 78168587 299/2020 299/2021 EACH OCCURRENCE \$1,000,000 GENERAL AGORECATE LIMIT APPLIES PER: A AMORE TORRANDE \$1,000,000 GENE AGORECATE LIMIT APPLIES PER: CLAMISANDE \$1,000,000 A AUTOMORE LIMIT APPLIES PER: \$1,000,000 GENE AGORECATE LIMIT APPLIES PER: 4751280200 211/2020 211/2021 CMMINED SINGLE LIMIT \$1,000,000 A AUTOMORECATE LIMIT APPLIES PER: 4751280200 211/2020 211/2021 CMMINED SINGLE LIMIT \$1,000,000 A AUTOMORECATE LIMIT APPLIES PER: 4751280200 211/2020 211/2021 CMMINED SINGLE LIMIT \$1,000,000 AVAY AUTO AUTOMORECATE LIMIT \$1,000,000 BODILY NULRY (PE person) \$ \$ BODILY NULRY (PE person) \$ \$ MOTES ONLY X AUTOS ONLY X AUTOS ONLY \$ \$ MOTES ONLY X AUTOS ONLY X AUTOS ONLY X \$ \$ MOTES ONLY X AUTOS ONLY X AUTOS ONLY X \$ \$ B WORELLA LIAB CACUNE Y AUTOS ONLY	INSR TYPE OF INSURANCE ADDL SUBR POLICY NUMBER	POLICY EFF (MM/DD/YYY)	POLICY EXP () (MM/DD/YYYY)	L	MITS		
Image: Control of the second secon		2/9/2020	2/9/2021	EACH OCCURRENCE		0,000	
GENT AGGREGATE LIMIT APPLIES PER: PERSONAL & ADV INULRY \$ 1,000,000 GENT AGGREGATE LIMIT APPLIES PER: POLICY PROPULTY PROPULTY PROPULTY \$ 2,000,000 OTHER: A AUTOMOBILE LIABILITY \$ 1,000,000 \$ A AUTOMOBILE LIABILITY 4751280200 2/1/2020 2/1/2020 2/1/2021 GOMINUM (Per parced) \$ OWNED AUTOMOBILE LIABILITY 4751280200 2/1/2020 2/1/2021 GOMINUM (Per parced) \$ OWNED XINTOS SCHEDULED AUTOS ONLY XINTOS ONLY \$ \$ UNBRELLA LIAB OCCUR CALMOS AMADE \$ \$ \$ \$ DED RETENTION \$ CALMAS AMADE \$ \$ \$ \$ B WORKERS ORFENATION CALMAS AMADE \$ \$ \$ \$ DED RETENTION \$ TWC3864184 4/1/2020 4/1/2020 \$ \$ \$ B WORKERS ORFENATION \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	CLAIMS-MADE X OCCUR			PREMISES (Ea occurrence)	\$ 50,00	00	
GENL AGGREGATE LIMIT APPLES PER: GENLEAGGREGATE \$2.000.000 OTHER: GENLEAGGREGATE \$2.000.000 OTHER: A GENLEAGGREGATE \$2.000.000 ANTOGORILE LIMIT APPLES PER: \$ \$ ANTOGORILY \$ \$ \$ ANTOS ONLY \$ \$ \$ \$ ANTOS ONLY \$ \$ \$ \$ \$ ANTOS ONLY \$ \$ \$ \$ \$ \$ UBBRELIA LIAB OCCUR \$<				MED EXP (Any one person)			
X POLICY PEO Loc A AUTOMOBILE LABILITY 4751280200 2/1/2020 2/1/2021 COMBINED SINGLE LIMIT \$1,000,000 A AUTOMOBILE LABILITY 4751280200 2/1/2020 2/1/2021 COMBINED SINGLE LIMIT \$1,000,000 A WAY AUTO AUTOS ONLY X SCHEDULED AUTOS ONLY X BODILY INJURY (Per acadent) \$ AUTOS ONLY X AUTOS ONLY X SCHEDULED AUTOS ONLY \$ BODILY INJURY (Per acadent) \$ AUTOS ONLY X AUTOS ONLY X SCHEDULED AUTOS ONLY \$ BODILY INJURY (Per acadent) \$ \$ B WORKERS COMPERSIZATION S EACH OCCURRENCE \$ Acadenticity \$							
OTHER: S A AUTOMOBILE LABILITY 4751280200 ANTONO RULE UNDED SINGLE LIMIT \$1,000.00 GWED SCHEDULED AWTOS ONLY XITOS AUTOS ONLY XITOS BOORLY INDUCY (Per carciant) S BUDIS AUTOS OCCUR CLAR CARCELLATION BUDIS AUTOS VENTONS BUDIS AUTOS VENTONS BUDIS AUTOS VENTONS VENTON OF OPERATIONS / VENICLES (ACORD 101, Ad							
A AUTOMORELIABILITY 4751280200 2/1/2021 Contract statement \$ 1,000,000 A AUTOMORELIABILITY 4751280200 2/1/2021 Contract statement \$ 1,000,000 ANY AUTO ANY AUTO BODILY INJURY (Per parson) \$ ANY AUTO SOILY X INCE SUBJECT LIMIT \$ 1,000,000 ANY AUTO SOILY X INCE SUBJECT LIMIT \$ 1,000,000 ANY AUTO SOILY (MURPE Parson) X INCE S BODILY INJURY (Per parson) \$ B WINKER LIALIA CLAIMS-MADE S S S S B WORKERS COMPENSATION AUTOS ONLY Y IN TWC3884184 4/1/2020 4/1/2021 X INTUE EACH OCCURRENCE \$ B WORKERS COMPENSATION S INTA TWC3884184 4/1/2020 4/1/2021 X INTUE EL DISEASE - REPLOYERS X00,000 EL DISEASE - POLICY LIMIT \$ 500,000 EL DISEASE - POLICY LIMIT \$ 500,000 DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required) S CERTIFICATE HOLDER CARCELLATION S S S S Carreer Source Chipola 4536 Highway So East,				PRODUCTS - COMP/OP AG		0,000	
ANY AUTO BODILY INJURY (Per pecce) \$ MYRED AUTOS ONLY X AUTOS ONLY BODILY INJURY (Per accident) \$ AUTOS ONLY X AUTOS ONLY X BODILY INJURY (Per accident) \$ BODILY INJURY (Per accident) \$ BODILY INJURY (Per accident) \$ BODILY INJURY (Per accident) \$ BODILY INJURY (Per accident) \$ BODILY INJURY (Per accident) \$ B BODILY INJURY (Per accident) \$ BODILY INJURY (Per accident) \$ B B B CLAMS-MADE \$ B DED RETENTION \$ B ACGRECATE \$ B B WORKERS COMPENSATION # MI A 4/1/2020 4/1/2021 X BEACH OCCURRENCE \$ B WORKERS COMPENSATION # MI A B		2/1/2020	2/1/2021	COMBINED SINGLE LIMIT		0.000	
AUTOS ONLY AUTOS NEE AUTOS ONLY S B MORKERS COMPRENSATION ANOPORTETORIATINEREXECUTIVE YIN ANOPORTETORIATINEREXECUTIVE YIN MORKENS COMPARITIONS COLOR YIN ANOPORTETORIATINEREXECUTIVE YIN MORKENS COMPARITION OF OPERATIONS below IN / A DESCRIPTION OF OPERATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required) CERTIFICATE HOLDER CANCELLATION Career Source Chipola Should ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZE REPRESENTATIVE					1) \$		
Image: Distribution of the source of the				BODILY INJURY (Per accide	int) \$		
EXCESS LIAB CLAIMS-MADE DED RETENTION \$ B WORKERS COMPENSATION AND EMPLOYERS' LABLITY Y/N ANYPROPRIETOR/PARTNER/EXECUTIVE N / A TWC3864184 4/1/2020 4/1/2021 X PER	HIRED XONOYOWNED			PROPERTY DAMAGE (Per accident)			
Excess LIAB CLAIMS-MADE DED RETENTION \$ B WORKERS COMPENSATION AND EMPLOYERS LIABILITY AND EMPLOYERS LIABILITY ANYPROPRIETOR/PARTNER/EXCUTIVE TWC3864184 4/1/2020 4/1/2021 X DED RETENTION \$ N/A TWC3864184 4/1/2020 4/1/2021 X STATUTE EL EACLOBERT S S00,000 CHICKER/MEMBERERCUIDEDFOR N / A Windatory in Wh N / A If yes, describe unday S00,000 EL DESCRIPTION OF OPERATIONS below DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required) CERTIFICATE HOLDER CANCELLATION Career Source Chipola 4636 Highway 90 East, Suite K SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.				EACH OCCURRENCE	\$		
DED RETENTION \$ \$ B WORKERS COMPENSATION AND EMPLOYERS LIABILITY ANYPROPRIETOR/PARTNER/PEXECUTIVE OFFICIENT/MEMBERESCUDEDD? Y/N IN/A TWC3864184 4/1/2020 4/1/2021 X STATUTE B COFFICIENT/MEMBEREPLOY Y/N (Mandatory in MH) N/A VIC3864184 4/1/2020 4/1/2021 X STATUTE B EL EACH ACCIDENT \$500,000 EL. DISEASE - EA EMPLOYCE \$500,000 EL DISEASE - POLICY LIMIT \$500,000 EL DISEASE - POLICY LIMIT \$500,000 DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required) Image: Status of the space is required CERTIFICATE HOLDER CANCELLATION CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. Career Source Chipola 4636 Highway 90 East, Suite K Authogized Representative Authogized Representative					\$		
AND EMPLOYER'S LABILITY ANY PROPRETOR/PARTINER/EXECUTIVE OFFICERMEMBER EXCLUDEO? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below DESCRIPTION OF OPERATIONS below DESCRIPTION OF OPERATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required) CERTIFICATE HOLDER Career Source Chipola 4636 Highway 90 East, Suite K Authogized Representative Authogized Representative							
ANYPROPRIETOR/PARTNER/EXECUTIVE Image: Standard or yin NH) OFFICER/MEMBERE EXECUDED? Image: N/A Use social addition yin NH) EL. DISEASE - EA EMPLOYEE Use social addition yin NH) EL. DISEASE - EA EMPLOYEE DESCRIPTION OF OPERATIONS below EL. DISEASE - POLICY LIMIT DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required) CERTIFICATE HOLDER CANCELLATION Career Source Chipola Should Any of THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. Career Source Chipola Authogized Representative	AND ENDLOYEDS! LIADILITY	4/1/2020	4/1/2021	X PER OTH	-		
If wandatory in NHI ELL DISEASE - EA EMPLOYEE \$ 500,000 If wandatory in NHI ELL DISEASE - FA EMPLOYEE \$ 500,000 DESCRIPTION OF OPERATIONS / OF OPERATIONS below ELL DISEASE - POLICY LIMIT \$ 500,000 DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required) CERTIFICATE HOLDER CANCELLATION Career Source Chipola 4636 Highway 90 East, Suite K SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.	ANYPROPRIETOR/PARTNER/EXECUTIVE			E.L. EACH ACCIDENT	\$ 500,0	000	
DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required) CERTIFICATE HOLDER Career Source Chipola 4636 Highway 90 Least, Suite K Authogized Representative	(Mandatory in NH)						
CERTIFICATE HOLDER CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN Career Source Chipola ACCORDANCE WITH THE POLICY PROVISIONS. 4636 Highway 90 East, Suite K AUTHORIZED REPRESENTATIVE	DESCRIPTION OF OPERATIONS below			E.L. DISEASE - POLICY LIM	<u>IT \$ 500,0</u>		
CERTIFICATE HOLDER CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE Career Source Chipola 4636 Highway 90 East, Suite K							
CERTIFICATE HOLDER CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE Career Source Chipola 4636 Highway 90 East, Suite K	DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101. Additional Remarks Sche	dule, may be attached if m	ore space is requi	red)			
SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.				/			
SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.							
SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.							
SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.							
SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.							
SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.							
THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. 4636 Highway 90 East, Suite K AUTHORIZED REPRESENTATIVE		CANCELLATIO					
		THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN					
Chik H. Fyshik	4030 Highway 50 East, Suite N Marianna FL 32446						
		Chik H. F	goht				

-

© 1988-2015 ACORD CORPORATION. All rights reserved.

The ACORD name and logo are registered marks of ACORD

Section I – Organization Information

Name of Company: Pro Floors Plus				
Contact Person: Levi Collins				
Business Address: 3902 Jenks Hvenue				
City, State, Zip: Haven, FL 32444				
Business Phone: 850-248-0101				
Business E-Mail: levi oprofloorsplus.com				
Business Website: Profloors plus. Com				
#Years in Business:				
Dunn & Bradstreet #: 626404339				
FL Division of Corporations Info:				

Kevin Perkins Signatory Name

Signature

President Title 7/27/20

Date

Section II – Cost for Service

- 1. Name the product(s) being proposed for installation. (Materials can be attached that describe the product, but the Respondent is highly encouraged to highlight or respond on an attached sheet the answer to each area.)
 - a. Include the size of the tile proposed in square inches.
 - b. Confirm the carpet tile has a solution dye and nylon composition.
 - c. Provide the tufted weight and the finished pile thickness.
 - d. Confirm inclusion of soil or stain protection.
 - e. Confirm compliance with the Americans with Disabilities Act for a minimum static coefficient of friction for accessible routes.
 - f. Confirm green or environmentally friendly certification from a recognized organization.
 - g. Confirm old floorings and materials removed to allow installation will be disposed of in a manner allowed by required local, state and federal rules and regulations.
 - h. Confirm removal of old flooring and materials is included in the proposed cost.
- 2. Is moving of furniture, cubicles, and other obstacles included in final cost? If not, describe the solution for moving such items.
- 3. If claiming status as a minority, female, or veteran owned business provide proof.
- 4. List necessary timelines from start to final product installation.
- 5. List the proposed cost of final installation and any options being offered as part of the initial response. CSC may accept an initial response or may seek additional concessions or other deliverables as part of negotiations.



3902 Jenks Ave Lynn Haven, FL PH (850) 248-0101 FAX (850) 248-0105

\$46,750

Total :

Quote For:	Career Source Chipola	Date	7/27/2020	
Name		Valid:	10/26/2020	
Company:			Levi Collins	
Fax:		Cell:		

Comments or Special Instructions:

5

Bid is based on field measurements and instructions in ITN dated 6/29/2020.

Description	Price
Section II - Cost for Service	
1. Manufacturer: Shaw Contract - Collection: Simply By Nature - Style: TBD - Color: TBD (Includes any of the 4 styles in this collection)	
1a. Size: 24" x 24"	
1b. This carpet tile has a solution dyed nylon composition.	
1c. Tufted Weight: 16 oz. / sqyd - Finished pile thickness: 0.121 in.	
1d. Includes stain protection and passes AATCC-174	
1e. ADA compliance: >0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes	
1f. CRI Green Label Plus: GLP2671	
1g. Old flooring will be disposed of in a manner allowed by local, state, and federal rules and regulations.	
1h. Removal and disposal of existing carpet is included in the price.	
2. Price includes moving and replacing furniture with the exception of cubicles. In regards to the cubicles, we have been told that CSC will be getting new cubicles around this time. Our price includes labor to move the cubicles out of our way to isntall carpet, but does not include setting back up new or existing cubicles. Our quote does not include unplugging electronic devices.	
3. N/Á	
4. Carpet would take approximately 3-4 weeks to arrive after it is ordered, and installation would take about 3 weeks.	
5. Base Bid	\$46,750

Notes:

1. Bid includes minimal standard floor prep and does not include excessive grinding or leveling.


Think Tile

Product Type	Carpet Tile		
Collection	Mindful Play		
Style Number	5T186		
Construction	Multi-Level Pattern Loop		
Fiber	Solution Q Extreme® Nylon		
Dye Method	100% Solution Dye	ed	
Primary Backing	Synthetic		
Secondary Backing	Ecoworx® Tile		
Protective Treatments	Inherent Stain Resistance		
Recommended Adhesive	Shaw 5000, Shaw 5100, Shaw 4151, LokDots, LokWorx, Shaw 3800 or Shaw 5036		
	u.s.	metric	
Product Size	24 in x 24 in	61 cm x 61 cm	
Area per Carton	48 ft ²	4.46 m ²	
Pieces per Carton	12 pcs		
Gauge	1/10 in	39.4 per 10 cm	
Stitches	10.0 per in	40.5 per 10 cm	
Finished Pile Thickness	0.095 in	2.41 mm	
Average Density	6063 oz/yd ³	0.224 g/cm ³	
Kilotex		9.26	
Total Thickness	0.226 in	5.74 mm	
Tufted Weight	16 oz/yd²	542.5 g/m²	



product permits installation with various dye lots.

Recommended Installation Method



Coordinating Products

LVT: Inspire, Inspire 5.0 Mm

Carpet Tile: Engage Tile, Impact Tile

Performance + Testing

Antimicrobial Assessment	Passes (AATCC-174) (When installed using Shaw 5036 adhesive)		
Pill Test	Pass		
Radiant Panel	Class I		
NBS Smoke	Less Than 450		
Electrostatic Propensity	Less Than 3.5 kv		
CRI Green Label Plus (GLP)	GLP9968		
ADA Compliance	>0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes***		

Warranties

Lifetime Commercial Limited Warranty

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miam) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9399 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Parts +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +1 800 556 302

© 2020 Shaw Industries Group, Inc., a Berkshire Hathaway Company

Attributes + Certifications

1 1 4

Que die le Que die Que diffe d'IM			
Cradle to Cradle Certified™	Silver Level (Version 3.1)		
Health Product Declaration (HPD)	1,000 ppm Disclosure		
Environmental Product Declaration (EPD)	3rd Party Certified in Accordance with ISO14044, ISO14025 & EN1580		
Living Building Challenge (LBC)	Free of Red List Chemicals		
Declare	LBC Compliant		
NSF 140	Gold		
CRI Green Label Plus (GLP)	GLP9968		
Singapore Green Label	Certified		
GSA	Approved		
CE Marking (EN 14041)	3rd Party Certified		
Environmental Guarantee*	Free Pickup & Delivery Available North America		
Total Recycled Content	41% (Post Industrial 41% Post Consumer 0%)		
Product Packaging	100% Recyclable		
Country of Origin**	USA		
LEED Contribution Credit			
MR Credit: Building Product Disclosure and Optimization Environmental Product Declarations - Option 1: Environmental Product Declaration (EPD)	3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804		
MR Credit: Building Product Disclosure and Optimization Material Ingredients - Option 1: Material Ingredient Reporting	HPD (Version 2.1) or C2C Silver Level (Version 3.1)		
MD Q and D Mildian Durativet Disalagues and Optimization	C2C Silver Lovel Mersion 3.1)		

MR Credit: Building Product Disclosure and Optimization Material Ingredients - Option 2: Material Ingredient Optimization

MR Credit: Building Product Disclosure and Optimization Sourcing of Raw Materials - Option 2: Leadership Extraction Practices

EQ Credit: Low Emitting Materials Option 1: Product Category Calculations

MR Credit: Interiors Life-Cycle Impact Reduction Option 3: Design for Flexibility C2C Silver Level (Version 3.1)

Environmental Guarantee: Free Pickup & Delivery Available North America Green Label Plus Certification: GLP9968

Ecoworx Tile with Lokdots Installation System

Additional Information

* To learn more about the recyclability of our products and our Environmental Guarantee, please visit shawcontract.com/sustainability.

**Meets or exceeds all local and national regulations in country of manufacture.

***This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit shawcontract.com/testing for more information.




Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Lath America (Miam) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourma -61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Parts +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +1 800 556 302

© 2020 Shaw Industries Group, Inc., a Berkshire Hathaway Company July 28, 2020


Diffuse 24x24

Product Type	Carpet Tile			
Collection	Diffuse + Disperse			
Style Number	59575			
Construction	Multi-Level Pattern L	.oop		
Fiber	Eco Solution Q® Nyl	on		
Dye Method	100% Solution Dyed			
Primary Backing	Synthetic			
Secondary Backing	Ecoworx® Tile			
Protective Treatments	SSP® Shaw Soil Protection			
Recommended Adhesive	Shaw 5000, Shaw 5100, Shaw 4151, LokDots, LokWorx, Shaw 3800 or Shaw 5036			
	u.s.	metric		
Product Size	24 in x 24 in	61 cm x 61 cm		
Area per Carton	48 ft ²	4.46 m ²		
Pieces per Carton	12 pcs			
Gauge	1/12 in	47.2 per 10 cm		
Stitches	8.5 per in	34.0 per 10 cm		
Finished Pile Thickness	0.092 in	2.34 mm		
Average Density	6261 oz/yd ³	0.232 g/cm ³		
Kilotex		9.23		
Total Thickness	0.230 in	5.84 mm		
Tufted Weight	16 oz/yd²	542.5 g/m²		



product permits installation with various dye lots.

Recommended Installation Method



Coordinating Products

Carpet Tile: Disperse Tile, Diffuse 9x36, Diffuse 24x24 Ecologix®, Diffuse 24x24 Ecologix® Es

Performance + Testing

Antimicrobial Assessment Passes (AATCC-174) (When installed using Shaw 5036 adhesive)		
Pill Test	Pass	
Radiant Panel	Class I	
NBS Smoke	Less Than 450	
Electrostatic Propensity	Less Than 3.5 kv	
CRI Green Label Plus (GLP)	USA GLP9968 China GLP1263	
ADA Compliance	>0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes***	

Warranties

Lifetime Commercial Limited Warranty

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubal +971 4 584 6956 | Hong Kong +852 2623 0371 | Lath America (Miam) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbal +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +1 800 556 302

© 2020 Shaw Industries Group, Inc., a Berkshire Hathaway Company July 28, 2020

1 . . .

Product Transparency

Shaw Contract is dedicated to providing clients with a building chemistry that's safe and dependable. Working together, we will help you meet your goals as they pertain to material health. EcoWorx products with Eco Solution Q nylon are Cradle to Cradle Certified[™] Silver and assessed for impacts on human health and the environment. This product can be recycled. When it's time to replace, we can collect and recycle it through our Environmental Guarantee.*

Attributes + Certifications

Cradle to Cradle Certified™	Silver Level (Version 3.1)
Health Product Declaration (HPD)	1,000 ppm Disclosure
Environmental Product Declaration (EPD)	3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804
Living Building Challenge (LBC)	Free of Red List Chemicals
Declare	LBC Compliant USA China
NSF 140	Gold
CRI Green Label Plus (GLP)	USA GLP9968 China GLP1263
Building Research Establishment (BRE)	Certified
Good Environmental Choice Australia (GECA)	Certified
Singapore Green Label	Certified
GSA	Approved
CE Marking (EN 14041)	3rd Party Certified
Environmental Guarantee*	Free Pickup & Delivery Available North America
Total Recycled Content	46% (Post Industrial 46% Post Consumer 0%)
Product Packaging	100% Recyclable
Country of Origin**	USA & China

LEED Contribution Credit

MR Credit: Building Product Disclosure and Optimization Environmental Product Declarations - Option 1: Environmental Product Declaration (EPD)

MR Credit: Building Product Disclosure and Optimization Material Ingredients - Option 1: Material Ingredient Reporting

MR Credit: Building Product Disclosure and Optimization Material Ingredients - Option 2: Material Ingredient Optimization

MR Credit: Building Product Disclosure and Optimization Sourcing of Raw Materials - Option 2: Leadership Extraction Practices

EQ Credit: Low Emitting Materials Option 1: Product Category Calculations

MR Credit: Interiors Life-Cycle Impact Reduction Option 3: Design for Flexibility 3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804

HPD (Version 2.1) or C2C Silver Level (Version 3.1)

C2C Silver Level (Version 3.1)

Environmental Guarantee: Free Pickup & Delivery Available North America

Green Label Plus Certification: GLP9968

Ecoworx Tile with Lokdots Installation System

Additional Information

* To learn more about the recyclability of our products and our Environmental Guarantee, please visit shawcontract.com/sustainability.

**Meets or exceeds all local and national regulations in country of manufacture.

***This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit shawcontract.com/testing for more information.







Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Attanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubal +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miam) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Mebourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbal +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Parts +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sychey +1 800 556 302

© 2020 Shaw Industries Group, Inc., a Berkshire Hathaway Company July 28, 2020

Arrange Tile

Product Type	Carpet Tile			
Collection	Simply By Nature			
Style Number	5T294			
Construction	Multi-Level Pattern	Multi-Level Pattern Loop		
Fiber	Eco Solution Q® N	Eco Solution Q® Nylon		
Dye Method	100% Solution Dye	d		
Primary Backing	Synthetic			
Secondary Backing	Strataworx® Tile			
Protective Treatments	SSP® Shaw Soil Protection			
Recommended Adhesive	Shaw 5000, Shaw 5100, Shaw 4151, Shaw 3800 or Shaw 5036			
	u.s.	metric		
Product Size	24 in x 24 in	61 cm x 61 cm		
Area per Carton	80 ft ²	7.43 m²		
Pieces per Carton	20 pcs			
Gauge	1/10 in	39.4 per 10 cm		
Stitches	10.0 per in	40.5 per 10 cm		
Finished Pile Thickness	0.121 in	3.07 mm		
Average Density	4760 oz/yd³	0.176 g/cm ³		
Kilotex		8.75		
Total Thickness	0.246 in	6.25 mm		



Recommended Installation Method

16 oz/yd²



542.5 g/m²

Tufted Weight

Coordinating Products

Carpet Tile: Array Tile, Offset Tile, Structure Tile, Arrange Tile

Broadloom: Amend, Accord

Performance + Testing

Antimicrobial Assessment	Passes (AATCC-174) (When installed using Shaw 5036 adhesive)
Pill Test	Pass
Radiant Panel	Class I
NBS Smoke	Less Than 450
Electrostatic Propensity	Less Than 3.5 kv
CRI Green Label Plus (GLP)	GLP2671
ADA Compliance	>0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes***

Warranties

10 Year Commercial Limited Warranty

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Shgapore +65 6733 1811 | Sydney +1 800 556 302

© 2020 Shaw Industries Group, Inc., a Berkshire Hathaway Company

Attributes + Certifications

Cradle to Cradle Certified™ Health Product Declaration (HPD) Living Building Challenge (LBC) Declare **NSF 140** CRI Green Label Plus (GLP) Singapore Green Label Environmental Guarantee* **Total Recycled Content** Country of Origin**

LEED Contribution Credit

MR Credit: Building Product Disclosure and Optimization Material Ingredients - Option 1: Material Ingredient Reporting

MR Credit: Building Product Disclosure and Optimization Material Ingredients - Option 2: Material Ingredient Optimization EQ Credit: Low Emitting Materials

Option 1: Product Category Calculations

Silver Level (Version 3.1) 1,000 ppm Disclosure Free of Red List Chemicals **LBC** Compliant Gold GLP2671 Certified Pickup & Delivery Available in Americas 45% (Post Industrial 45% | Post Consumer 0%) USA

HPD (Version 2.1) or C2C Silver Level (Version 3.1)

C2C Silver Level (Version 3.1)

Green Label Plus Certification: GLP2671

Additional Information

* To learn more about the recyclability of our products and our Environmental Guarantee, please visit shawcontract.com/sustainability.

**Meets or exceeds all local and national regulations in country of manufacture.

***This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

> Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

> This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

> > Visit shawcontract.com/testing for more information.




Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubal +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico Otty +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +1 800 556 302

© 2020 Shaw Industries Group, Inc., a Berkshire Hathaway Company July 29, 2020

Arrange Tile



Colorways



Streaming 7237T

Modular

Product Specifications

Construction Textured Loc	
Backing	Nexus® Modular
Dye Method	Solution dyed
Fiber Type	Encore® SD Nylon
Fiber Weight	15 oz.
Pile Density	7714
Product Size	24" x 24"
Gauge	1/10
TARR	3.0

Specifications & Tests

Indoor Air Quality	GLP9716
Pill Test	Passes
Flooring Radiant	
Panel	Class 1(ASTM E-648)
Smoke Density	Less Than 450 (ASTM E-662))
Static Test	Less Than 3.5 kv (AATCC-134)
Lightfastness	Passes

Installation Methods

Ashlar, Brick, Monolithic, Quarter Turn, Non-Directional

Warranties

Lifetime performance for wear

Lifetime fiber performance for static

Lifetime stain removal

Lifetime colorfastness to light and atmospheric contaminants

Lifetime tuft bind strength (edge ravel, yarn pulls, zippering)

Lifetime against delamination

Lifetime Nexus Modular Dimensional Stability

Pentz Commercial | 3510 Corporate Dr. Dalton GA | 866-706-9745

Page 1

ES0

Sold To Ship To CAREERSOURCE CHIPOLA CAREERSOURCE CHIPOLA	00272
ATTENTION: RICHARD WILLIAMS 4636 HIGHWAY 90 EAST MARIANNA, FL 32446 AREERSOURCE CHIPOLA CAREERSOURCE CHIPOLA CAREERSOURCE CHIPOLA CAREERSOURCE CHIPOLA CAREERSOURCE CHIPOLA	OFFICES

Quote Date	MAIN	PO Number	Quote Number
07/28/20	850-633-2732		ES000272
Style/Item	Color/Desc	ription Quantity	Units Price

This estimate is to supply and install 1,700 square yards of 24x24 carpet tiles (options are below). Manufacturer's recommended adhesive will be used. The price includes demo and disposal of old flooring, floor prep and moving furniture.

Option #1

Manufacturer: Shaw Contract, Collection: Mindful Play Style: Think Tile 5T186 Size: 24x24 Carpet Tile Fiber: Solution Q Extreme Nylon Tufted Weight: 16 oz Protective Treatments: Inherent Stain Resistence ADA Compliance: Yes Green Label Plus Certification: GLP9968

Total for Option #1: \$68,700.00

- 07/29/20		– 9:36AM –
Sales Representative(s):	Material:	0.00
LINK, JUSTIN	Service:	0.00
	Misc. Charges:	0.00
Please note that Elect Propile unforegon: There will be an additional	Sales Tax:	0.00
Please note that Floor Prep is unforseen; There will be an additional charge if additional prep is needed for proper installation.	Misc. Tax:	0.00
	ESTIMATE TOTAL:	\$0.00

Page 2

ES000

	ESTIMATE)272
Sold To	Ship To	
CAREERSOURCE CHIPOLA ATTENTION: RICHARD WILLIAMS 4636 HIGHWAY 90 EAST MARIANNA, FL 32446	CAREERSOURCE CHIPOLA CAREER CENTER & STAFF OFFICES 4636 HIGHWAY 90 EAST MARIANNA, FL 32446	
	PO Number Ouote Nu	mbor

Quote Date	MAIN	PO Number	Quote Number
07/28/20	850-633-2732		ES000272
Style/Item	Color/Desc	ription Quantity	Units Price

This estimate is to supply and install 1,700 square yards of 24x24 carpet tiles (options are below). Manufacturer's recommended adhesive will be used. The price includes demo and disposal of old flooring, floor prep and moving furniture.

Option #2

Manufacturer: Shaw Contract, Collection: Diffuse + Disperse Style: Diffuse 59575 Size: 24x24 Carpet Tile Fiber: Eco Solution Q Nylon Tufted Weight: 16 oz Protective Treatments: SSP - Shaw Soil Protection ADA Compliance: Yes Green Label Plus Certification: GLP9968

Total for Option #2: \$60,690.00

- 07/29/20		- 9:36AM
Sales Representative(s):	Material:	0.00
LINK, JUSTIN	Service:	0.00
	Misc. Charges:	0.00
Plagge note that Electr Drep is unforegoes: There will be an additional	Sales Tax:	0.00
Please note that Floor Prep is unforseen; There will be an additional charge if additional prep is needed for proper installation.	Misc. Tax:	0.00
	ESTIMATE TOTAL:	\$0.00

Page 3

ES000

	ESTIMATE	0272
Sold To	Ship To	
CAREERSOURCE CHIPOLA ATTENTION: RICHARD WILLIAMS 4636 HIGHWAY 90 EAST MARIANNA, FL 32446	CAREERSOURCE CHIPOLA CAREER CENTER & STAFF OFFICE 4636 HIGHWAY 90 EAST MARIANNA, FL 32446	ES
Quote Date MAIN	PO Number Ouote	Number

Quole Dale	WAIN	PO Number	Quote Number
07/28/20	850-633-2732		ES000272
Style/Item	Color/Desc	ription Quantity	Units Price

This estimate is to supply and install 1,700 square yards of 24x24 carpet tiles (options are below). Manufacturer's recommended adhesive will be used. The price includes demo and disposal of old flooring, floor prep and moving furniture.

Option #3

Manufacturer: Shaw Contract, Collection: Simply By Nature Style: Arrange 5T294 Size: 24x24 Carpet Tile Fiber: Eco Solution Q Nylon Tufted Weight: 16 oz Protective Treatments: SSP - Shaw Soil Protection ADA Compliance: Yes Green Label Plus Certification: GLP2671

Total for Option #3: \$47,226.00

- 07/29/20		- 9:36AM -
Sales Representative(s):	Material:	0.00
LINK, JUSTIN	Service:	0.00
	Misc. Charges:	0.00
Blasse note that Electr Drep is unforegoes: There will be an additional	Sales Tax:	0.00
Please note that Floor Prep is unforseen; There will be an additional charge if additional prep is needed for proper installation.	Misc. Tax:	0.00
	ESTIMATE TOTAL:	\$0.00

Page 4

ES000

	ESTIMATE	272
Sold To	Ship To	
CAREERSOURCE CHIPOLA ATTENTION: RICHARD WILLIAMS 4636 HIGHWAY 90 EAST MARIANNA, FL 32446	CAREERSOURCE CHIPOLA CAREER CENTER & STAFF OFFICES 4636 HIGHWAY 90 EAST MARIANNA, FL 32446	

Quote Date	MAIN	PO Number	Quote Number
07/28/20	850-633-2732		ES000272
Style/Item	Color/Desci	iption Quantity	Units Price

This estimate is to supply and install 1,700 square yards of 24x24 carpet tiles (options are below). Manufacturer's recommended adhesive will be used. The price includes demo and disposal of old flooring, floor prep and moving furniture.

Option #4

Manufacturer: Engineered Floors Style: Streaming, 7237T Size: 24x24 Carpet Tile Fiber: Encore SD Nylon Tufted Weight: 15 oz Protective Treatments: Lifetime stain removal ADA Compliance: Yes Green Label Plus Certification: GLP9716

Total for Option #4: \$44,897.00

	- 9:36AM
Material:	0.00
Service:	0.00
Misc. Charges:	0.00
Sales Tax:	0.00
Misc. Tax:	0.00
ESTIMATE TOTAL:	\$0.00
	Service: Misc. Charges: Sales Tax: Misc. Tax:

LINK FLOORS, INC. **4826 CORLETT STREET** TALLAHASSEE, FL 32303

Page 5

	LLAHASSEE, FL 32303 850-574-5465 Fax: 850-574-8418	ES000272
	ESTIMATE	72
Sold To	Ship To	
CAREERSOURCE CHIPOLA ATTENTION: RICHARD WILLIAMS 4636 HIGHWAY 90 EAST MARIANNA, FL 32446	CAREERSOURCE CHIPOLA CAREER CENTER & STAFF OFFICES 4636 HIGHWAY 90 EAST MARIANNA, FL 32446	

Quote Date	MAIN	PO Number		Quote Num	iber
07/28/20	850-633-2732			ES000272	
Style/Item	Color/Desci	iption	Quantity l	Jnits	Price

Pricing is good for 30 days due to continous price increases from Tariffs on imported products from China

CUSTOMER READ BEFORE SIGNING: Buyer understands that there may be a dytevariation from sample. Seller is not responsible for chips dents or conditions of existing moldings, doors, jambs or fixtures. Room must be clear of obstacles at time of atimatallSeller is not responsible for cutting doors or touching up paint. Seller is not responsible for customer measurements. Seller is not responsible for customer measurements. or shipper delays. There will be a 25% restocking fee on all unopened returned material. Unforeseen structural problemstaliation may change the amount due on this Estimate. Any balance 30 days past due shall accrue interest of 1.5% per month on teleturipatredevent the account is placed with a third party for collection, purchaser shall pay all costs associated with the collection, inclusion attorneys" fees for trial, appeal, and bankruptcy proceeding AYMENT IN FULL TO BE MADE UPON COMPLETION OF INSTALLATION credit card payments will be charged 3% processing fee. This estimate is good for thirty days from above date.

- 07/29/20		– 9:36AM –
Sales Representative(s):	Material:	0.00
LINK, JUSTIN	Service:	0.00
	Misc. Charges:	0.00
Diagon note that Floor Drop is unforegon: There will be an additional	Sales Tax:	0.00
Please note that Floor Prep is unforseen; There will be an additional charge if additional prep is needed for proper installation.	Misc. Tax:	0.00
	ESTIMATE TOTAL:	\$0.00

The agreement signed with DEO requires the main career center in Marianna to be closed following a county, state, or federally recognized calendar. Below is a list of the current closed dates for the region, Jackson County, state, and federal.

Holiday/Date Observed in 2021	CareerSource	Jackson	Florida	Federal
	Chipola	County		
New Year's Day/Jan. 1	Yes	Yes	Yes	Yes
Martin Luther King Day/Jan. 18	Yes	Yes	Yes	Yes
Washington's or Presidents Day	No	Yes	No	<mark>Yes</mark>
Birthday/Feb. 15				
Good Friday/Apr. 2	No	Yes	No	No
Memorial Day/May 31	Yes	Yes	Yes	Yes
Independence Day/July 5	Yes	Yes	Yes	Yes
Labor Day/Sept 6	Yes	Yes	Yes	Yes
Columbus Day/Oct. 11	No	No	No	Yes
Veterans Day/Nov. 11	Yes	Yes	Yes	Yes
Thanksgiving/Nov. 25	Yes	Yes	Yes	Yes
Day after Thanksgiving/Nov. 26	Yes	Yes	Yes	No
Christmas Day/Dec. 24	Yes	Yes	Yes	Yes
Christmas Eve or Day After/Dec 23	Yes	Yes	No*	No
Total Days	10	12	9	10
Nataa, *The Coverse an every event state				 Even the visit table is a set

Holiday Comparison

Notes: *The Governor may grant state employees an extra day on Christmas Eve in which case that becomes a paid holiday; however, that is usually not known until one or two days in advance.

Due to the requirements of DEO we must follow a county, state, or federal closure schedule. Staff presents the following options for consideration:

- 1. Chose one of the three schedules and adjust the number of paid holidays as/if necessary.
- 2. Adopt the Florida holiday schedule and add one "personal day" that staff can take any day during the program year with prior approval.